




Voies Accessoires de Localisation Inhabituelles

Nadir SAOUDI
Monaco



Mrs Tas.. L. 64 y



- Palpitations since the age of 18
- No SHD
- Recent documentation of narrow QRS tachycardia
- July 10: Difficult RFCA of concealed left Posterior AP in another center
- Palpitation recurrences despite Flecaïnide 200 mg/d

LPLAP


- During SVT




- During RV pacing



During Rf - Emergence of a Centrifugal Activation Pattern within the CS




Après le tir





- 1 – Bravo ! C'est gagné: Il n'y a plus de VA.
- 2 – Ca ne me convainc qu'à moitié ! essayons de redéclencher
- 3 – C'est pas juste: on comprends jamais rien dans ce type de présentation !
- 4 – Je donne ma langue au chat
- 5 – Qu'est ce qu'on a raté à la télé ce soir ?

TJ toujours inducible avec activation centrifuge du SC et DS




ABL d plus latéral que SC12





Pot cible sur le tir efficace



Intra-Atrial Block Along the Mitral Valve Annulus During AP Ablation: Evidence for a Left Atrial « Isthmus »

- Intra-A conduction block (sudden change in retrograde LA activation sequence despite persistent and unaffected pathway conduction) following RF delivery in 11/159 LLAP cases (6.9%)
 - In six pts, reversal of A excitation during ORT falsely suggested the presence of another (septal)AP
- | Group 1 (n = 6) | Group 2 (n = 3) | Group 3 (n = 2) |
|--|--|---|
|  |  |  |
| Complete Medial Conduction Block | Incomplete Medial Conduction Block | Lateral Conduction Block |